

WEST**End of Result Set**☐ **Generate Collection** **Print**

L1: Entry 9 of 9

File: DWPI

DERWENT-ACC-NO: 1968-81494P
DERWENT-WEEK: 196800
COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Decorative non-corrosive flame-resistant structural

PATENT-ASSIGNEE:

ASSIGNEE

ORIENTAL METAL MFG CO LTD

CODE

ORIE

PRIORITY-DATA: 1963JP-0071390 (December 30, 1963)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

JP 67006678 B

000

ABSTRACTED-PUB-NO: JP 67006678B

BASIC-ABSTRACT:

Non-corrosive, flame-proof structural panels for use in building of walls, roofs etc. are prep'd. by applying an adhesive (2) to one or both sides of a base sheet (1) made of metal or fibre-board which has been given anti-corrosive treatment. A fire resistant layer (3) is formed by applying to 2, electrostatically charged short fibres of asbestos or glass. A further layer of adhesive (4) is applied, and a uniform coating (5) of electrostatically-charged inorganic, pref. coloured ceramic or metallic powder is spread over (4), and dried. A durable, resinous transparent top coat (6) such as an acrylic resin is finally applied.

TITLE-TERMS: DECORATE NON CORROSION FLAME RESISTANCE STRUCTURE

DERWENT-CLASS: A00

CPI-CODES: A11-B09; A12-R01;

Multipunch Codes: 01& 074 308 309 431 441 445 477 516 523 541 543 551 560 561 613 616
618 720 722

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=DWPI; PLUR=YES; OP=ADJ

| | | | |
|----|-------------------------------|---|----|
| L1 | metal fiber and anti corros\$ | 9 | L1 |
|----|-------------------------------|---|----|

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB; PLUR=YES; OP=ADJ

| | | | |
|-----|---|--------|-----|
| L20 | 118 and 119 | 23 | L20 |
| L19 | multifilament\$ or multi filament\$ | 9374 | L19 |
| L18 | 110 and 117 | 257 | L18 |
| L17 | bag or container | 480050 | L17 |
| L16 | 110 and 112 | 35 | L16 |
| L15 | 110 and 113 | 6 | L15 |
| L14 | 110 and 111 | 10 | L14 |
| L13 | ((442/228 442/229)!.CCLS.) | 159 | L13 |
| | ((442/239 442/240 442/241 442/242 442/243 442/244 442/245 | | |
| | 442/246 442/247 442/248 442/249 442/250 442/251 442/252 | | |
| L12 | 442/253 442/254 442/255 442/256 442/257 442/258 442/259 | 886 | L12 |
| | 442/260 442/261 442/262 442/263 442/264 442/265 442/266 | | |
| | 442/267)!.CCLS.) | | |
| L11 | ((442/3 442/6 442/15 442/16)!.CCLS.) | 173 | L11 |
| L10 | ((428/105 428/106 428/107 428/108 428/109 428/110 428/111 | 1922 | L10 |
| | 428/112 428/113)!.CCLS.) | | |

DB=DWPI; PLUR=YES; OP=ADJ

| | | | |
|----|---|---------|----|
| L9 | 14 and 18 | 82 | L9 |
| L8 | layer or layered or ply or plied | 1075147 | L8 |
| L7 | 14 and 16 | 4 | L7 |
| L6 | electromagnetic\$ or electro magnetic\$ | 135804 | L6 |
| L5 | electromag\$ or electro mag\$ | 163138 | L5 |
| L4 | 11 and 12 and L3 | 217 | L4 |
| L3 | angle or angular | 554493 | L3 |
| L2 | metal or metallic or metalliz\$ or metaliz\$ or metalis\$ or metallis\$ | 1210489 | L2 |
| L1 | scrim or woven | 55475 | L1 |

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

L5 l1 and l4

36

L5

L4 (metal or metallic or metaliz\$ or metalliz\$).ab.

205986

L4

L3 metal\$.ab.

210179

L3

L2 metal\$ and L1

362

L2

L1 ((428/111 |428/113)!.CCLS.)

769

L1

END OF SEARCH HISTORY